




## Spare Parts Catalogue


ASKO Dishwashers \ ASKO 5000 XXL Series  
Type: DW70.5  
Model: D5152 XXL US White Bi Soft

Prod. No: 1075152120

April 24th 2012


**ASKO Appliances Inc.**

4001 E Plano Parkway #1004001 E Plano Parkway #100  
Plano, Texas 75074



**Base and related parts****ASKO, D5152 XXL US - White Bi Soft (DW70.5)**


| Pos   | Spare part No. | Description                      | Qty    | Comment |
|-------|----------------|----------------------------------|--------|---------|
| 101   | 8801387        | BOTTOM OUTER COMPL.              | 1 Pc's |         |
| 101-a | 8901104        | Screw 20 Torx Machine            | 2 Pc's |         |
| 101-b | 8901110        | Screw w/ORing DW 05/06 25T       | 4 Pc's |         |
| 102   | 8078006        | REAR PANEL                       | 1 Pc's |         |
| 105   | 8074228        | Leveling Foot M10X75 T30 8.8 FZB | 2 Pc's |         |
| 106   | 8082222        | FOOT ADJUSTABLE FROM FRONT CPL   | 1 Pc's |         |
| 108   | 8073480        | Toe Kick bracket Right & Left    | 2 Pc's |         |
| 111   | 8073481-49     | Toe Kick Bracket Clip L-Grey     | 2 Pc's |         |
| 114   | 8078109        | SOUND ABSORP. SELF AD. RIGHT     | 1 Pc's |         |
| 115   | 8078108        | SOUND ABSORP. SELF AD. LEFT      | 1 Pc's |         |
| 116   | 8078114        | SOUND ABSORBENT GUARD PLATE      | 1 Pc's |         |
| 118   | 8078112        | SOUND AB.BLOCK BOTTOM OUTER      | 2 Pc's |         |
| 119   | 8078122        | SOUND ABSORPTION PROFILE         | 1 Pc's |         |
| 125   | 8078008-0      | GUARD PLATE STRAIGHT WHITE       | 1 Pc's |         |
| 133   | 8051957        | Glide Foot                       | 3 Pc's |         |
| 134   | 8079528        | Door Spring-DW70-Yellow          | 2 Pc's |         |
| 135   | 8079046        | CORD SET AMERICA                 | 1 Pc's |         |
| 137   | 8083041        | Terminal Block w/RFI DW70        | 1 Pc's |         |
| 140   | 8801376        | KIT INL.VALVE/LOCKARM SING120V   | 1 Pc's |         |
| 140-a | 8079597        | LOCK ARM INLET VALVE             | 1 Pc's |         |
| 141   | 8079522        | PEX Inlet hose DW                | 1 Pc's |         |
| 142   | 8006948        | Grommet                          | 1 Pc's |         |
| 144   | 8074585        | Felt Kick Plate 05               | 1 Pc's |         |
| 148   | 8073506-0      | kick plate white                 | 1 Pc's |         |
| 162   | 8079832        | CABLE HOLDER SRC-8-01            | 1 Pc's |         |
| 163   | 8078113        | SOUND ABSORPTION REARPANEL       | 1 Pc's |         |
| 164   | 8079597        | LOCK ARM INLET VALVE             | 1 Pc's |         |



## Baskets and related parts

### ASKO, D5152 XXL US - White Bi Soft (DW70.5)


| Pos   | Spare part No. | Description                    | Qty    | Comment          |
|-------|----------------|--------------------------------|--------|------------------|
| 201   | 8057056        | -                              | 1 Pc's | Not a spare part |
| 202   | 8801358-36     | UPPER BASKET EXCL. COMPL. H&L  | 1 Pc's |                  |
| 203   | 8801316-36     | LOWER BASKET EXCL D.GREY 07    | 1 Pc's | New design       |
| 206   | 8079257-77     | WHEEL FOR LOW DISHW BASKET CPL | 8 Pc's |                  |
| 208   | 8071214-77     | Knife Holder 05/06 DW          | 2 Pc's |                  |
| 210   | 8071337-36     | Cup Shelf Wine Glass 05/06 DW  | 2 Pc's |                  |
| 212   | 8801396-77     | Cutlery Bskt for Stnd Tines    | 1 Pc's |                  |
| 213   | 8058498-77     | Upper Basket Wheel             | 4 Pc's |                  |
| 218   | 8801350        | DW Upper Basket Guide Rail Kit | 2 Pc's |                  |
| 220   | 8057978-77     | DW Rail Stop - Back Grey       | 2 Pc's |                  |
| 221   | 8088703-77     | BASKET STOP                    | 2 Pc's |                  |
| 222   | 8801349-77     | KIT BALL HOLDER INCL. BALLS    | 1 Pc's |                  |
| 225   | 8057978-77     | DW Rail Stop - Back Grey       | 2 Pc's |                  |
| 227   | 8057489-F      | DOOR STRIP XXL DW70            | 1 Pc's |                  |
| 231   | 8079251-77     | DOOR CUTLERYBASKET UL4         | 1 Pc's |                  |
| 232   | 8801240        | Lock Catch incl Screw&Nut      | 1 Pc's |                  |
| 241   | 8057506-77     | Knife Stop                     | 1 Pc's |                  |
| 244   | 8078300        | AIRBREAK STD. DW70 UL4         | 1 Pc's |                  |
| 245   | 8057536-77     | LOCKRING AIREBREAKER GREY      | 1 Pc's |                  |
| 247   | 8074342-E-0    | Trim Strip Left XXL Wht        | 1 Pc's |                  |
| 247-a | 8900646        | Screw 20 Torx SS               | 2 Pc's |                  |
| 248   | 8074343-E-0    | Trim Strip Right XXL Wht       | 1 Pc's |                  |
| 248-a | 8900646        | Screw 20 Torx SS               | 2 Pc's |                  |
| 256   | 8075663-0      | Top Trim Rail Low White        | 1 Pc's |                  |
| 264   | 8076632-77     | Holder                         | 3 Pc's |                  |
| 266   | 8079130-36     | PlateRack short/wide R-FT      | 1 Pc's |                  |
| 269   | 8079131-36     | PlateRack short/wide R-BK      | 1 Pc's |                  |
| 272   | 8079123-36     | PlateRack short/narrow L-FT    | 1 Pc's |                  |
| 273   | 8079124-36     | PlateRack short/narrow L-BK    | 1 Pc's |                  |
| 275   | 8070614        | SEALING STRIPE TRIM STRIPE USA | 2 Pc's |                  |
| 276   | 8801330-77     | HANDLE U-BASKET COMPL. ASKO    | 1 Pc's |                  |
| 277   | 8801332-77     | HANDLE LOWER BASKET COMPL.     | 1 Pc's |                  |
| 284   | 8079138        | Basket Adj Bracket Right       | 1 Pc's |                  |
| 285   | 8079139        | Basket Adj Bracket Left        | 1 Pc's |                  |



## Wash System

### ASKO, D5152 XXL US - White Bi Soft (DW70.5)


| Pos   | Spare part No. | Description                    | Qty    | Comment                              |
|-------|----------------|--------------------------------|--------|--------------------------------------|
| 301   | 8078001        | -                              | 1 Pc's | Not a spare part                     |
| 303   | 8078082        | CIRC.PUMP 120V 60HZ            | 1 Pc's |                                      |
| 303-a | 8083804        | Capacitor 7 0UF 400V P2 CLASS  | 1 Pc's |                                      |
| 304   | 8075130        | Rubber Damper Circ Pump        | 1 Pc's |                                      |
| 305   | 8801463        | HEATER W.INSERT 1200W120V DW70 | 1 Pc's |                                      |
| 306   | 8079531        | SEALING HEATER DW70 UL4        | 2 Pc's | Only 1 pc from 2009-06-11            |
| 307   | 8079575        | INSERT FOR HEATER              | 1 Pc's |                                      |
| 308   | 8073385-77     | Cup Drainage Gray              | 1 Pc's |                                      |
| 310   | 8801409        | Hose Circ Pump                 | 1 Pc's |                                      |
| 310-a | 8056491        | HOSE CLIP 30.1-708             | 2 Pc's |                                      |
| 312   | 8801270        | Spray Arm Bearing Kit          | 1 Pc's |                                      |
| 313   | 8079108-77     | SPRAYARM BEARING H&L U.BASKET  | 1 Pc's |                                      |
| 314   | 8078085        | WATER DIVERTER VALVE 120V 60HZ | 1 Pc's |                                      |
| 314-a | 8073003        | O-ring                         | 2 Pc's |                                      |
| 317   | 8079112-E      | SPRAYTUBE ADJ.U-BASKET XXL     | 1 Pc's |                                      |
| 321   | 8801359        | SPRAYTOWER COMPL H&L BASKET    | 1 Pc's |                                      |
| 323   | 8081911-LL-77  | SPRAYTOWER L FOR 2 NOZZLE UL4  | 1 Pc's |                                      |
| 324   | 8079113-77     | GUIDE SPRAYTUBE ADJ BASKET     | 1 Pc's |                                      |
| 325   | 8072891        | Spray Arm Lower Complete       | 1 Pc's |                                      |
| 326   | 8079111        | SPRAYARM CPL H&L BASKET        | 1 Pc's |                                      |
| 327   | 8079147        | POT RINSE TUBE                 | 1 Pc's |                                      |
| 327   | 8073381        | Tube Pot Rinse                 | 1 Pc's |                                      |
| 327-a | 8902085        | Screw 20T for Plastic          | 2 Pc's |                                      |
| 328   | 8071607        | Locking Spray Pipe Bearing     | 1 Pc's |                                      |
| 331   | 8072543-77     | Spray Nozzle                   | 2 Pc's |                                      |
|       |                |                                |        | For part no 8073381 and 8076902-L-77 |
| 357   | 8083603        | SEALING HEATER BOTTOM SUMP     | 1 Pc's |                                      |
| 358   | 8079261-77     | INSERT SPRAYARM BEAR.H&L BASK. | 1 Pc's |                                      |



## ***Bottom well and related parts***

**ASKO, D5152 XXL US - White Bi Soft (DW70.5)**


| <b>Pos</b> | <b>Spare part No.</b> | <b>Description</b>             | <b>Qty</b> | <b>Comment</b> |
|------------|-----------------------|--------------------------------|------------|----------------|
| 402        | 8084692               | BOTTOM WELL 2 SENSOR UL4       | 1 Pc's     |                |
| 402        | 8801452               | KIT BOTTOM W.NO RET.VALVE 2SEN | 1 Pc's     |                |
| 402-a      | 8073002               | ORing                          | 1 Pc's     |                |
| 403        | 8078033-79            | RIENS CAP BOTTOM WELL YELLOW   | 1 Pc's     |                |
| 405        | 8073839               | Pressure Sensor                | 1 Pc's     |                |
| 405-a      | 8074040               | O-Ring-Press Sensor            | 1 Pc's     |                |
| 406        | 8074364               | Strainer DW20                  | 1 Pc's     |                |
| 407        | 8073835               | Microswitch Float              | 1 Pc's     |                |
| 409        | 8078038-77            | Pipe Filter DW70               | 1 Pc's     |                |
| 410        | 8078089               | Drain Pump 120V 60Hz           | 1 Pc's     |                |
| 411        | 8079693               | Outlet Hose w/o Return Valve   | 1 Pc's     |                |
| 411        | 8083478               | OUTLET HOSE HARD END CUFF US   | 1 Pc's     |                |
| 411-a      | 8901768               | O-RING 32,3X3 (BD)             | 1 Pc's     |                |
| 414        | 8801248               | Check Valve Kit                | 1 Pc's     |                |
| 414-a      | 8052239               | Hose Clamp                     | 1 Pc's     |                |
| 414-b      | 8053642               | Hose Clamp                     | 1 Pc's     |                |
| 415        | 8078025               | Float                          | 1 Pc's     |                |
| 416        | 8078039-77            | Strainer Basket Grey           | 1 Pc's     |                |
| 417        | 8081321               | TURBIDITY SENSOR DW20/70       | 1 Pc's     |                |
| 418        | 8072528-77            | Holder Outlet Hose             | 1 Pc's     |                |
| 418-a      | 8053642               | Hose Clamp                     | 1 Pc's     |                |
| 418-b      | 8052239               | Hose Clamp                     | 1 Pc's     |                |
| 418-c      | 33700450              | Cable Strip                    | 1 Pc's     |                |
| 418-d      | 8902072               | SCREW PT KB40X10 WN1442 GALV   | 1 Pc's     |                |
| 419        | 8072848               | Lockring Bottom Well           | 1 Pc's     |                |
| 420        | 8074760-77            | Ventilator                     | 1 Pc's     |                |
| 421        | 8075321               | End Cuff                       | 1 Pc's     |                |
| 426        | 8078024               | SEALING NON RETURN VALVE       | 1 Pc's     |                |
| 427        | 8901768               | O-RING 32,3X3 (BD)             | 1 Pc's     |                |



## ***Inner door, panel and related parts***

**ASKO, D5152 XXL US - White Bi Soft (DW70.5)**


| <b>Pos</b> | <b>Spare part No.</b>        | <b>Description</b>             | <b>Qty</b> | <b>Comment</b> |
|------------|------------------------------|--------------------------------|------------|----------------|
| 501        | 8801380                      | Door Inner w/Fan XXL DW70      | 1 Pc's     |                |
| 501-a      | 8900646                      | Screw 20 Torx SS               | 6 Pc's     |                |
| 501-b      | 8902121                      | SCREW A2-MKFT 5X10             | 4 Pc's     |                |
| 502        | 8089580                      | Fan Complete 120V              | 1 Pc's     |                |
| 502-a      | 8058501                      | ORing Turbo Fan Dry 05/06 DW   | 1 Pc's     |                |
| 502-b      | 8801438                      | KIT WITH NEW WAXMOTOR DW       | 1 Pc's     |                |
| 504        | 8801343-77                   | KIT Combi Dispenser 120V       | 1 Pc's     |                |
| 504-a      | 8071918                      | Seal Det Comp Lid              | 1 Pc's     |                |
| 504-b      | 8071917                      | CAP RINSE AGENT                | 1 Pc's     |                |
| 504-c      | 8071918                      | Detergent Lid Complete         | 1 Pc's     |                |
| 504-d      | 8072288                      | Sealing Strip Combi Disp.      | 1 Pc's     |                |
| 504-f      | 8902087                      | Screw Plastic Housing 20 Torx  | 6 Pc's     |                |
| 505        | 8801458                      | HINGE RIGHT COMPL. DW70        | 1 Pc's     |                |
| 506        | 8801459                      | HINGE LEFT COMPL. DW70         | 1 Pc's     |                |
| 507        | 8057530                      | Screw hinge 05                 | 2 Pc's     |                |
| 507-a      | 33500262                     | Nut Term Block                 | 2 Pc's     |                |
| 508        | Repl by 8801458 &<br>8801459 | Slide washer hinge bearing 05  | 2 Pc's     |                |
| 509        | 8078040                      | Air Channel DW70               | 1 Pc's     |                |
| 510        | 8801294                      | DOOR SEAL LOWER W.CORNER GUARD | 1 Pc's     |                |
| 511        | 8076933-0                    | Outer Door 3000XL Wht          | 1 Pc's     |                |
| 511-a      | 8900646                      | Screw 20 Torx SS               | 6 Pc's     |                |
| 521        | 8071240                      | Sound Absorbion Outer Door     | 1 Pc's     |                |
| 522        | 8089401                      | LOCKKING RING 2 FAN HOUSE UL4  | 1 Pc's     |                |
| 522-a      | 8902085                      | Screw 20T for Plastic          | 2 Pc's     |                |
| 523        | 8057983                      | Brace                          | 1 Pc's     |                |
| 523-a      | 8900646                      | Screw 20 Torx SS               | 2 Pc's     |                |
| 523-b      | 8902357                      | Screw                          | 2 Pc's     |                |
| 524        | 8078041-0                    | NOZZLE AIR DUCT                | 1 Pc's     |                |
| 526        | 8058484                      | SS Coverplate Turbo Fan DW     | 1 Pc's     |                |
| 526-a      | 8902085                      | Screw 20T for Plastic          | 2 Pc's     |                |
| 529        | 8074278                      | Bracket for harness            | 1 Pc's     |                |
| 542        | 8076966                      | COVER, CABLES                  | 1 Pc's     |                |




## Control panel and related parts

ASKO, D5152 XXL US - White Bi Soft (DW70.5)

| Pos   | Spare part No. | Description                    | Qty    | Comment |
|-------|----------------|--------------------------------|--------|---------|
| 601   | 8082233-0-UL   | PANEL ASKO 5152 AUT T GRAPHIC  | 1 Pc's |         |
| 602   | 8082234        | PROG.INFO.LABEL D5152 AUT T US | 1 Pc's |         |
| 604   | 8074277        | SPRING MAIN SWITCH             | 1 Pc's |         |
| 607   | 8801371        | CONTROL.UNIT COMPL. DW70.5 USA | 1 Pc's |         |
| 609   | 8073782        | MAIN PUSH SWITCH               | 1 Pc's |         |
| 610   | 8079517        | CABLE SET THERMISTOR UL4       | 1 Pc's |         |
| 611   | 8078071        | CABLESET DIVERTER VALVE UL4    | 1 Pc's |         |
| 614   | 8078068        | CABLE SET CI.PUMP IN.VALVE UL4 | 1 Pc's |         |
| 616   | 8078064        | CABLE SET FLOW PRESS. TURB.UL4 | 1 Pc's |         |
| 618   | 8078070        | CABLE SET POWER UL4            | 1 Pc's |         |
| 620   | 8075730        | Cable Set Fan                  | 1 Pc's |         |
| 622   | 8078063        | CABLE SET DRAIN UL4            | 1 Pc's |         |
| 624   | 8073470-0      | COVER FOR HANDLE WHITE         | 1 Pc's |         |
| 626   | 8079806        | LENS DW20.5 ASKO               | 1 Pc's |         |
| 627   | 8074464        | SPRING FOR LID HANDLE          | 1 Pc's |         |
| 628   | 8079924-0      | KNOB SET ASKO DW20.5 GRAPHIC   | 1 Pc's |         |
| 629   | 8075078-0      | Push Button Main Switch Graphi | 1 Pc's |         |
| 635   | 8079808        | LIGHT SCREENING 7-SEGM. DW20.5 | 1 Pc's |         |
| 647   | 8072906-UL     | Catch Handle                   | 1 Pc's |         |
| 649   | 8072908        | SPRING LOCK                    | 1 Pc's |         |
| 649   | 8075790        | Spring Door Lock Handle        | 1 Pc's |         |
| 650   | 8072907        | Control Arm Safety Catch       | 1 Pc's |         |
| 651   | 8073836        | MICROSWITCH DOOR               | 1 Pc's |         |
| 652   | 8057545        | Rotary catch child safety 05   | 1 Pc's |         |
| 655   | 8072905-UL     | Protection Catch               | 1 Pc's |         |
| 655-a | 8902085        | Screw 20T for Plastic          | 2 Pc's |         |
| 665   | 8079807        | LIGHT GUIDE 7-SEGM.DW20.5 ASKO | 1 Pc's |         |
| 666   | 8079803        | LIGHT SHAFT DW20.5 ASKO        | 1 Pc's |         |
| 669   | 8081492        | LIGHT GUIDE O-U.BASKET DW20    | 1 Pc's |         |



| RESISTANCES AT ROOM TEMPERATURE (CA. 20 °C/68 °F) |            |
|---------------------------------------------------|------------|
| VALUES WITH +/-10% ARE REGARDED AS NORMAL         |            |
| COMPONENT                                         | RESISTANCE |
| RADIO INTERFERENCE SUPPRESSION FILTER             | 1 MOHM     |
| HEATING ELEMENT 1200W 120V                        | 12 OHM     |
| HEATING ELEMENT 1600W 230V                        | 32 OHM     |
| HEATING ELEMENT 2040W 230V                        | 25 OHM     |
| THERMISTOR                                        | 25 KOHM    |
| COMBINED DISPENSER 120V                           | 0.3 KOHM   |
| COMBINED DISPENSER 230V                           | 1,6 KOHM   |
| CIRCULATION PUMP 120V 60HZ                        | 32 OHM     |
| CIRCULATION PUMP 230V 50HZ                        | 110 OHM    |
| CIRCULATION PUMP 220V 60HZ                        | 56 OHM     |
| DRAIN PUMP 120V 60HZ                              | 25 OHM     |
| DRAIN PUMP 230V 50HZ                              | 150 OHM    |
| DRAIN PUMP 230V 60HZ                              | 85 OHM     |
| SPRAY ARM DIVIDER 120V 60HZ                       | 2.6 KOHM   |
| SPRAY ARM DIVIDER 230V 50/60HZ                    | 8,5 KOHM   |
| INLET VALVE SINGLE INCL. 120V                     | 0.95 KOHM  |
| INLET VALVE SAFETY INCL. 120V                     | 0.5 KOHM   |
| INLET VALVE SINGLE INCL. 230V                     | 3,9 KOHM   |
| INLET VALVE SAFETY INCL. 230V                     | 2 KOHM     |
| SALT VALVE 120V                                   | 0,65 KOHM  |
| MIX VALVE 120V                                    | 0,65 KOHM  |
| SALT VALVE 230V                                   | 3 KOHM     |
| MIX VALVE 230V                                    | 2,3 KOHM   |
| HALOGEN LAMP 5W 12V                               | <10 KOHM   |
| WAX MOTOR                                         | 1.1 KOHM   |
| FAN MOTOR 120V                                    | 0.18 KOHM  |
| FAN MOTOR 230V                                    | 0.85 KOHM  |




CIRCUIT DIAGRAM DW70.1, .3, .4, .5, .C

80 796 55 - 01

This document must not be copied without our written permission, and the contents thereof must not be imparted to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.  
Asko Appliances AB

Displays



TOTAL RESET

TURN OFF MAIN SWITCH  
WAIT FOR AT LEAST 5 SECS  
HOLD PROGRAM BUTTON (S1), FOR DW70.4 HOLD PROGRAM BUTTON (S1)  
AND NAVIGATION BUTTON (S4).  
TURN ON MAIN SWITCH  
RELEASE PROGRAM BUTTON (S1), FOR DW70.4 RELEASE PROGRAM BUTTON (S1)  
AND NAVIGATION BUTTON (S4).

SERVICE MENU

TURN OFF MAIN SWITCH  
WAIT FOR AT LEAST 5 SECS  
HOLD PROGRAM AND START BUTTONS (S1 & S2)  
TURN ON MAIN SWITCH  
RELEASE PROGRAM AND START BUTTONS (S1 & S2)

VARIANT SETTING (NOT DW70.4)

HOLD PROGRAM AND START BUTTONS (S1 & S2)  
TURN ON MAIN SWITCH  
RELEASE PROGRAM AND START BUTTONS  
PRESS START (S2) 3 TIMES WITHIN 5 SECS  
SELECT VARIANT BY START BUTTON (S1) AND  
CONFIRM BY START BUTTON (S2)

COMPONENT TEST:

First enter Service menu.

DW70.1, DW70.3, DW70.5 and DW70.C

Component test:  
Press the Program button (S1) and index through the following components:

1. Inlet valve and mix valve (only machines with water softener)
2. Inlet valve
3. Salt valve (only machines with water softener)
4. Detergent and surfactant dispenser
5. Circulation pump
6. Heating element and circulation pump (Max 75°C)
7. Fans
8. Drain pump

DW70.4

First enter service menu.


Go to service menu step 2, Diagnostics, by pressing S4

Press (S3) to activate the following components:

1. Valve (Inlet valve and mix valve (only machines with water softener), display flowsensor value)
2. Valve (Inlet valve, display flowsensor value)
3. Salt (Salt valve, only machines with water softener)
4. Disp (Detergent and surfactant dispenser)
5. Circ (Circulation pump, display shows turbidity in Volts)
6. Heat (Heating element and circulation pump (Max 75°C))
7. Fans (display shows humidity sensor value)
8. Drain (Drain pump, display shows pressure sensor reading; 0.5-3.5 VDC)


## Displayer

### DW70.1



Paneltyp DW70.1, L=LED, S= Tryckknapp

### DW70.C




Paneltyp DW70.C, L=LED, S= Tryckknapp

### DW70.3




Paneltyp DW70.3 L=LED, S= Tryckknapp

### DW70.4



Paneltyp DW70.4, S = Tryckområde

### DW70.5



Paneltyp DW70.5 L=LED, S= Tryckknapp

## Återställning

- Stäng av huvudströmbrytaren.
- Vänta i åtminstone 5 sekunder.
- Håll nere programknappen (S1) (för DW70.4 håll nere programknappen (S1) och navigationsknappen (S4)).
- Slå på huvudströmbrytaren (S1).
- Släpp programknappen (S1) (för DW70.4, släpp programknappen (S1) och navigationsknappen (S4)).

## Servicemeny

- Stäng av huvudströmbrytaren.
- Vänta i åtminstone 5 sekunder.
- Håll program- och startknappen (S1 & S2) intryckta.
- Slå på huvudströmbrytaren.
- Släpp program- och startknappen (S1 & S2).

## Variantinställning (ej DW70.4)

- Håll program- och startknapp (S1 & S2) intryckta.
- Slå på huvudströmbrytaren
- Släpp program- och startknapparna (S1 & S2)
- Tryck på startknappen (S2) 3 gånger inom 5 sekunder.
- Välj variant genom att trycka på startknappen (S2) och bekräfta ditt val genom att trycka på programknappen (S1)

## Komponenttest:

Gå först in i Servicemenyn.

## DW70.1, DW70.3, DW70.5 och DW70.C

Komponenttest:

Tryck på knappen (S1) och stega igenom följande komponenter:

1. Inloppsventil och mixventil (endast maskiner med avhårdare)
2. Inloppsventil
3. Saltventil (endast maskiner med avhårdare)
4. Diskmedel och sköljmedelsdoserare
5. Cirkulationspump
6. Värmeelement och cirkulationspump (Max 75°C)
7. Fläktar
8. Avloppspump

## DW70.4

Gå först in i servicemenyn.

Gå först till servicemenyn steg 2 genom att trycka på knappen (S4)

Tryck på knappen (S3) för att aktivera följande komponenter.

1. Ventil (Inloppsventil och mixventil (endast maskiner med avhårdare) display visar intagen vattenmängd i antal pulser; pulsmätare är placerad i luftavbrottet).
2. Ventil (Inloppsventil, visar trycksensorvärde)
3. Salt (Saltventil, endast maskiner med avhårdare)
4. Behållare (Disk- och vätmedelsdoserare)
5. Cirkulation (Cirkulationspump)
6. Värme (Värmeelement och cirkulationspump (Max 75 °C))
7. Fläktar (Displayen visar fuktsensorvärde)
8. Avloppspump