



## Spare Parts Catalogue


ASKO Tumble Dryers \ ASKO 700 Series Condensing  
Type: TD70.1  
Model: T754C US white

Prod. No: 10775410

January 23rd 2013

**ASKO Appliances Inc.**


4001 E Plano Parkway #100  
4001 E Plano Parkway #100  
Plano, Texas 75074



## Outer Casing

### ASKO, T754C US - white (TD70.1)


| Pos   | Spare part No. | Description                    | Qty     | Comment |
|-------|----------------|--------------------------------|---------|---------|
| 101   | 8061817-0      | Top Cover Wht WMD              | 1 Pc's  |         |
| 101-a | 8902362        | Screw 20 Torx Self Tapping     | 3 Pc's  |         |
| 101-b | 8901413        | Lock Washer laundry tops       | 2 Pc's  |         |
| 106   | 8082134-0      | SIDE PANEL WHITE               | 2 Pc's  |         |
| 106-a | 8902087        | Screw Plastic Housing 20 Torx  | 2 Pc's  |         |
| 107   | 8061763        | Clip Front Plate 600700s       | 3 Pc's  |         |
| 108   | 8061916        | CABLE HOLDER WMD20             | 2 Pc's  |         |
| 112   | 8082109-H-0    | FRONT PANEL TD70 WHITE         | 1 Pc's  |         |
| 112-a | 8902087        | Screw Plastic Housing 20 Torx  | 2 Pc's  |         |
| 112-b | 8902362        | SCREW RTK ST 4,2X9,5 FZB WAX.  | 1 Pc's  |         |
| 117   | 8076077-0      | LOCK PUSH/PUSH                 | 1 Pc's  |         |
| 119   | 8077511-0      | PLINTH CONDENSER               | 1 Pc's  |         |
| 130   | 8053980        | Stacking Bracket All TDs       | 1 Pc's  |         |
| 130-a | 8900327        | Screw 20 Torx Self Tapping     | 1 Pc's  |         |
| 132   | 8064114        | Pair,Holders,TD Feet/Stacking  | 1 Pc's  |         |
| 133   | 8054733        | Rubber Hose Accy Drain Cond    | 1 Pc's  |         |
| 134   | 8082112-C      | REAR PANEL                     | 1 Pc's  |         |
| 134-a | 8901971        | SCREW C1-PTK 35X14 WN1453 T15  | 2 Pc's  |         |
| 134-b | 8902362        | SCREW RTK ST 4,2X9,5 FZB WAX.  | 6 Pc's  |         |
| 134-c | 8902087        | Screw Plastic Housing 20 Torx  | 3 Pc's  |         |
| 136   | 8079928        | HOSE FRAME                     | 1 Pc's  |         |
| 136   | 8082459        | HOSE CLIP                      | 1 Pc's  |         |
| 139   | 8082103        | BASE UL4                       | 1 Pc's  |         |
| 140   | 8082296        | PLASTIC FOOT                   | 4 Pc's  |         |
| 148   | 8093232-0      | DECORE COVER FRONT FRAME WHITE | 1 Pc's  |         |
| 149   | 8082113-B      | PANEL REAR COVER               | 1 Pc's  |         |
| 149-a | 8902362        | SCREW RTK ST 4,2X9,5 FZB WAX.  | 10 Pc's |         |
| 151   | 8082114        | INSERT REAR COVER              | 1 Pc's  |         |
| 152   | 8090337        | SEALING FRONTPANEL-EXT.INLET   | 1 Pc's  |         |
| 153   | 8083205        | SNAP-IN BRACKET FRONT PANEL    | 4 Pc's  |         |
| 155   | 8082457        | COVER DRAINING DITCH           | 1 Pc's  |         |
| 156   | 8094236        | SEALING DRAINING PIPE          | 1 Pc's  |         |
| 157   | 8094235        | SEAL. STRIP W. ADHE. 9X4 SILI. | 1 Pc's  |         |
| 159   | 8082311        | SEALING INT.-EXT.AIR CONDENSE  | 1 Pc's  |         |
| 160   | 8092325        | SEALING COVER DRAINING DITCH   | 1 Pc's  |         |
| 169   | 8094312        | ADHESIVE SEAL. STRIP 2X6 SILI. | 1 Pc's  |         |



## Lower session

### ASKO, T754C US - white (TD70.1)


| Pos   | Spare part No. | Description                    | Qty    | Comment |
|-------|----------------|--------------------------------|--------|---------|
| 203   | 8082127        | FAN WHEEL EXTERNAL COND. UL4   | 1 Pc's |         |
| 206   | 8083916        | MOTOR 60HZ                     | 1 Pc's |         |
| 206-a | 8090314        | CAPACITOR 60HZ                 | 1 Pc's |         |
| 208   | 8082125        | FAN WHEEL INTERNAL COND. UL4   | 1 Pc's |         |
| 211   | 8082105        | COVER CONDENSER UL4            | 1 Pc's |         |
| 211-a | 8902087        | Screw Plastic Housing 20 Torx  | 7 Pc's |         |
| 214   | 8082108        | SEALING CONDENSER LID          | 1 Pc's |         |
| 215   | 8082107-0      | CONDENSER LID WHITE            | 1 Pc's |         |
| 216   | 8082121        | LOCK CATCH CONDENSER LID       | 2 Pc's |         |
| 217   | 8077507-49     | KNOB CONDENSER LID             | 2 Pc's |         |
| 217-a | 8902085        | Screw 20T for Plastic          | 2 Pc's |         |
| 219   | 8083902        | CONDENSER COMPL.               | 1 Pc's |         |
| 220   | 8091899        | TENSION WHEEL EMBEDDED BEARING | 1 Pc's |         |
| 221   | 8084648        | CONDENSATE PUMP 60HZ           | 1 Pc's |         |
| 223   | 8053056        | Float Condenser Dryers         | 1 Pc's |         |
| 224   | 8091858        | FLOAT PIN TD70                 | 1 Pc's |         |
| 225   | 8076103        | MICROSWITCH FLOAT TD25         | 1 Pc's |         |
| 235   | 8082116        | COVER EXTERNAL INLET UL4       | 1 Pc's |         |
| 237   | 8083344        | THERMISTOR TD                  | 1 Pc's |         |
| 256   | 8082454        | ENGINE BEARING FITTING         | 1 Pc's |         |
| 256-a | 8902087        | Screw Plastic Housing 20 Torx  | 2 Pc's |         |
| 258   | 8082455        | RUBBER DAMPER ENGINE BEARING   | 2 Pc's |         |
| 260   | 8091434        | SOUND ABSORBER INLET CONDENSE  | 1 Pc's |         |
| 261   | 8082132        | COVER CONDENSATE RESERVOIRE    | 1 Pc's |         |
| 263   | 8082456        | SLIDEER ENGINE BEARING         | 2 Pc's |         |
| 264   | 8088417        | SEALING FRONT FRAME-COVER      | 1 Pc's |         |
| 269   | 8088416        | SEALING FAN HOUSE              | 1 Pc's |         |
| 270   | 8082310        | COVER INNER DUCT UL4           | 1 Pc's |         |
| 270-a | 8902087        | Screw Plastic Housing 20 Torx  | 2 Pc's |         |
| 271   | 8082161        | BELT TENSIONER SPRING          | 1 Pc's |         |
| 272   | 8091071        | SPACER SLEEVE                  | 1 Pc's |         |



## Cylinder and related parts

ASKO, T754C US - white (TD70.1)


| Pos   | Spare part No. | Description                    | Qty    | Comment |
|-------|----------------|--------------------------------|--------|---------|
| 301   | 8801494        | Front Frame w/Felt Seal TD70   | 1 Pc's |         |
| 301-a | 8901971        | SCREW C1-PTK 35X14 WN1453 T15  | 4 Pc's |         |
| 309   | 8093182        | Drum Roller Frt TD             | 2 Pc's |         |
| 309-a | 8901337        | Washer                         | 2 Pc's |         |
| 309-b | 8901193        | Locking Nut                    | 2 Pc's |         |
| 309-c | 8901031        | SCREW BUFO 8.8 8X40 GALV       | 2 Pc's |         |
| 310   | 8083344        | THERMISTOR TD                  | 1 Pc's |         |
| 311   | 8052589-49     | PADDLE TD                      | 2 Pc's |         |
| 311-a | 8902099        | Screw                          | 5 Pc's |         |
| 313   | 8082133        | BELT DRYER TD70                | 1 Pc's |         |
| 314   | 8082453        | BEARING BUSHING SHORT          | 1 Pc's |         |
| 314-a | 8088429        | SCREW M8 A4 T40                | 1 Pc's |         |
| 317   | 8094481        | FELTSEALING REAR               | 1 Pc's |         |
| 318   | 8091023-R      | CYLINDER COMPL. TD             | 1 Pc's |         |
| 320   | 8004439        | Bearing Dryer Rear Panel All   | 1 Pc's |         |
| 321   | 8091590        | HEATING ELEMENT 2500W UL4      | 1 Pc's |         |
| 323   | 8090224        | THERMOSTAT 110 TD              | 1 Pc's |         |
| 324   | 8090274        | THERMOSTAT 135 MANUEL RESET UL | 1 Pc's |         |
| 349   | 8082126        | BEARING BRACKET                | 1 Pc's |         |
| 349-a | 8902362        | SCREW RTK ST 4,2X9,5 FZB WAX.  | 3 Pc's |         |
| 352   | 8902365        | FLANGE NUT DIN6926 KL.8 M6 FZB | 1 Pc's |         |
| 353   | 8082464        | NUT BEARING LOCK               | 1 Pc's |         |
| 354   | 8082467        | CABLE HOLDER HEATING ELEMENT   | 1 Pc's |         |
| 359   | 8090949        | SEALING STRIP FRONT FRAME      | 1 Pc's |         |



## Control Panel

### ASKO, T754C US - white (TD70.1)


| Pos | Spare part No. | Description                    | Qty    | Comment |
|-----|----------------|--------------------------------|--------|---------|
| 401 | 8092809-0-UL   | PANEL ASKO T754C US            | 1 Pc's |         |
| 402 | 8079749        | Rubber Seal-Cntrl Panel to Brd | 1 Pc's |         |
| 411 | 8091477-0      | PUSHBUT. ST/ST PRINTED TD60.1  | 1 Pc's |         |
| 413 | 8081710-0      | PUSHBU. MAINSWITCH WMD60.2 UL4 | 1 Pc's |         |
| 430 | 8801519        | CONTROL UNIT COMPL. TD70.1 B   | 1 Pc's |         |
| 431 | 8083234-0      | PUSHBUTT. OPTION 2 WMD60.1 UL4 | 2 Pc's |         |
| 432 | 8083233-0      | PUSHBUTTON OPT.1 WMD60.1 UL4   | 2 Pc's |         |
| 434 | 8083238        | LENS ST/ST DISP. WMD60.1 UL4   | 1 Pc's |         |
| 435 | 8083241        | LENS OPTION WMD60.1 UL4        | 3 Pc's |         |
| 440 | 8083609        | DECOR PLATE WMD60.1            | 1 Pc's |         |
| 442 | 8801433-0      | KNOB COMPL. WMD60.1 WHITE      | 1 Pc's |         |
| 444 | 8083482        | LENS JOGDIAL WMD60.1 UL4       | 1 Pc's |         |



## Upper session

### ASKO, T754C US - white (TD70.1)

| Pos   | Spare part No. | Description                    | Qty    | Comment |
|-------|----------------|--------------------------------|--------|---------|
| 501   | 8076029        | FRONTBEAM                      | 1 Pc's |         |
| 501-a | 8902087        | Screw Plastic Housing 20 Torx  | 1 Pc's |         |
| 506   | 8054072        | NIPPLE WATER HOSE              | 1 Pc's |         |
| 507   | 8088419        | RUBBER HOSE 9X13X1145          | 1 Pc's |         |
| 527   | 8076202        | EMC-FILTER WITH INDUCTOR       | 1 Pc's |         |
| 527-a | 8901155        | Nut                            | 1 Pc's |         |
| 527-b | 8901419        | Lock Washer                    | 1 Pc's |         |
| 529   | 8090212        | CABLE BUNDLE TD70.1/70.2 COND. | 1 Pc's |         |
| 530   | 8077519        | BRACKET FOR DOOR SWITCH        | 1 Pc's |         |
| 531   | 8073836        | MICROSWITCH DOOR               | 1 Pc's |         |
| 551   | 8076324        | Connection box T711            | 1 Pc's |         |
| 552   | 8061455        | Receptacle 05 WMD Connect      | 1 Pc's |         |
| 553   | 8061891        | Terminal Block DryerTD 20      | 1 Pc's |         |
| 554   | 8060462        | Grommet                        | 1 Pc's |         |
| 554   | 8078291        | GROMMET 94793                  | 1 Pc's |         |
| 555   | 8060463        | Lock Nut                       | 1 Pc's |         |
| 556   | 8063756        | Cover Terminal block T700s     | 1 Pc's |         |
| 556-a | 8901097        | Screw Terminal                 | 1 Pc's |         |
| 588   | 8083019        | CABLE SET LB TD UL4            | 1 Pc's |         |



## Outer Door

### ASKO, T754C US - white (TD70.1)


| Pos   | Spare part No. | Description                    | Qty    | Comment |
|-------|----------------|--------------------------------|--------|---------|
| 601   | 8076033-0      | OUTER DOOR                     | 1 Pc's |         |
| 601-a | 8900352        | Screw RTS ST 4.2X13 FZB TORX/J | 6 Pc's |         |
| 602   | 8082111-49     | DOOR INNER PART                | 1 Pc's |         |
| 605   | 8077599-0      | HINGE UPPER RT                 | 1 Pc's |         |
| 605-a | 8900327        | Screw 20 Torx Self Tapping     | 2 Pc's |         |
| 605-b | 8901097        | Screw Terminal                 | 1 Pc's |         |
| 605-c | 8061804        | HINGE PIN                      | 1 Pc's |         |
| 606   | 8079489-0      | HINGE UPPER L                  | 1 Pc's |         |
| 606-a | 8900327        | Screw 20 Torx Self Tapping     | 2 Pc's |         |
| 606-b | 8901097        | Screw Terminal                 | 1 Pc's |         |
| 606-c | 8061804        | HINGE PIN                      | 1 Pc's |         |
| 608   | 8076032-0      | HINGE DOOR LOWER               | 1 Pc's |         |
| 608-a | 8901097        | Screw Terminal                 | 2 Pc's |         |
| 608-b | 8061804        | HINGE PIN                      | 1 Pc's |         |
| 610   | 8077485-49     | LOCK CATCH                     | 1 Pc's |         |
| 612   | 8087917        | SEALING INNER DOOR             | 1 Pc's |         |
| 613   | 8083220-49     | FILTER HOLDER GREY             | 1 Pc's |         |
| 614   | 8087916        | SEALING FILTER HOLDER          | 1 Pc's |         |
| 616   | 8061865-0      | Bushing Hinge Pin T700s        | 2 Pc's |         |
| 617   | 8061953-0      | Door Plug White                | 1 Pc's |         |
| 619   | 8077488-49     | DOOR PIN                       | 1 Pc's |         |
| 622   | 8076079-49     | COVER FOR LOCK/LOCK HOOK       | 1 Pc's |         |
| 622   | 8076079-0      | COVER FOR LOCK/LOCK HOOK       | 1 Pc's |         |
| 635   | 8801511        | LINT FILTER COMPL. TD70        | 1 Pc's |         |

## CABLE POSITIONS

- 1: THERMISTOR
- 4: MOTOR, DRAIN PUMP, FLOAT SWITCH
- 5: DOOR SWITCH
- 8: POWER
- 9: HEATING ELEMENT

—— WIRES IN ALL MACHINES  
 - - - WIRES IN SOME MACHINES

\*A CONDENSE DRYER



RESISTANCES AT ROOM TEMPERATURE (CA. 20°C/68°F)  
 VALUES WITH +/-10% ARE REGARDED AS NORMAL COMPONENT

|                                          |             |
|------------------------------------------|-------------|
| F: RADIO INTERFERENCE SUPPRESSION FILTER | 680K Ohm    |
| NTC 1: THERMISTOR 1                      | 4 - 6 K Ohm |
| NTC 2: THERMISTOR 2:                     | 4 - 6 K Ohm |
| AP: DRAIN PUMP:                          | 111 Ohm     |
| EL: HEATING ELEMENT 550W                 | 91.4 Ohm    |
| EL: HEATING ELEMENT 1050W                | 45.3 Ohm    |
| EL: HEATING ELEMENT 1950W                | 20.5 Ohm    |
| MO: MOTOR                                |             |
| T1: THERMOSTAT, OVERHEATING              |             |
| T2: THERMOSTAT, OVERHEATING              |             |
| FB: FLOAT SWITCH                         |             |
| DB: DOOR SWITCH                          |             |



## TOTAL RESET

- TURN OFF POWER (S1)
- WAIT FOR AT LEAST 5 SEC
- HOLD STOP (S11)
- TURN ON POWER (S1)

## SERVICE MENU

- TURN OFF POWER (S1)
- WAIT FOR AT LEAST 5 SEC
- HOLD S10
- TURN ON POWER (S1)
- PRESS S10 5 TIMES TO ENTER SERVICE MENU

- PRESS STOP (S7) TO CHANGE MENU STEP
- ROTATE DIAL TO CHANGE IN STEP
- PRESSING START (S10) STORES AND EXITS SERVICE MENU

2012-01-11

CIRCUIT DIAGRAM TD70.1

80 902 52-01

This document must not be copied without our written permission, and the contents thereof must not be imparted to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.  
 Asko Appliances AB