

INSTRUCTION MANUAL

MONTAGUE LEGEND

Gas Fired Deluxe Griddles

Models:


All “DG” Series Griddles

**These instructions should be read thoroughly before attempting installation.
Set up and installation should be performed by qualified installation personnel.**


Keep area around appliances free and clear from combustibles.

**PLEASE RETAIN THIS MANUAL
FOR FUTURE REFERENCE.**







Griddles with standard snap-action thermostat.




Griddles with snap-action T/stat and pilot relight option.



Griddles with solid-state T/stat.



Griddles with snap-action T/stat and pilot relight option.



DELUXE GRIDDLE MODELS (SAT & SST) PARTS DIRECTORY

Item #	Part #	Description
1	**	FLUE BACK PANEL
2	30255-4	CENTER AIR BAFFLE W/ PILOT
3	30121-3	CENTER AIR BAFFLE-SOLID
4	30122-1	LOWER AIR BAFFLE-BURNER
5	30124-8	GREASE CONTAINER GUIDE
6	29087-4	LT SIDE AIR BAFFLE
7	30125-6	RT SIDE AIR BAFFLE
8	30224-4	FLUE POST (EG)
	30717-3	FLUE POST (SS)
9	30483-2	LEVELING BRACKET
	01869-4	LEVELING BOLT
10	14605-6	PRESSURE REGULATOR- NAT
	01040-5	PRESSURE REGULATOR- PROP
11	**	MANIFOLD ASSY
12	01279-3	HEX PLUG - 1/8 NPTM
13	28532-3	ELBOW- 1/8 NPTM X 1/4 CC (ALL)
14	30274-0	ELBOW- 3/8 NPTM X 1/2 CC (ALL)
	30275-9	ELBOW- 3/8 NPTM X 3/8 CC (2460-LT)
15	29077-7	FRONT BURNER SUPPORT
16	29088-2	PILOT BRACKET - J641DYA
17	01013-8	THERMOCOUPLE
18	30465-4	TUBING- FORMED - "U" 1/2 OD (ALL)
	30938-9	TUBING- FORMED - "U" 1/2 OD (2424 ONLY)
	30917-6	TUBING- FORMED - "U" 3/8 OD (2460-LT)
19	30639-9	SAFETY VALVE ASSY- RT OUTLET
20	30640-1	SAFETY VALVE ASSY- LT OUTLET
	30769-6	SAFETY VALVE ASSY -LT (2436, 2460)
21	30743-2	1/4 OD TUBING- MFLD/SAF (RT)
22	30749-1	1/4 OD TUBING- MFLD/SAF (LT)
	30940-0	1/4 OD TUBING - 4 5/8 STRAIGHT- (2424)
	30750-5	1/4 OD TUBING- MPLD/SAF (LT)- (2436)
23	30751-3	1/4 OD TUBING - PILOT/SAF (RT)
24	30752-1	1/4 OD TUBING - PILOT/SAF (LT)
	30754-8	1/4 OD TUBING - PILOT/SAF (LT) -(2436)
25	30275-9	ELBOW- 3/8 NPTM X 3/8 CC
26	30761-0	3/8 OD TUBING X 1 2/4 IN.
27	30762-9	3/8 OD TUBING X 2 1/4 IN.
	30941-9	3/8 OD TUBING X 2 3/4 IN. (2460)
28	30731-9	3/8 OD TUBING SOL/BURN "C"
29	30730-0	3/8 OD TUBING SOL/BURN "L"
30	30368-2	BURNER ASSY- RIGHT
31	29021-1	BURNER ASSY- MIDDLE
32	30369-0	BURNER ASSY- LEFT
33	30164-7	HEAT SHIELD- LEFT
34	30165-5	HEAT SHIELD- RIGHT
35	30280-5	INSULATION - 5 X 5"
36	**	CENTER HEAT SHIELD

DELUXE GRIDDLE MODELS (SAT & SST) PARTS DIRECTORY

Item #	Part #	Description
37	**	CENTER INSULATION - PUNCHED
38	30714-9	MOUNTING WASHER
39	30933-8	TRIM ASSY, FRONT - LT
	30934-6	TRIM ASSY, FRONT - RT
40	**	PANEL, CONTROL ASSY
41	25716-8	PIEZO IGNITOR
42	30763-7	SPARK ELECTRODE
43	30295-3	INSULATION SLEEVE - 12"
44	03386-3	SENSING BULB HOLDER ASSY
45	01918-6	SCREW, CONTROL PANEL
46	**	PANEL, FRONT UPPER
47	30144-2	GREASE DRAWER
48	30764-5	GREASE DRAWER BAFFLE
49	16100-4	SMALL CHEF
50	02639-5	RETAINER CLIP
51	08584-7	TERMINAL BLOCK
52	01395-1	STAIN RELIEF BRUSHING
53	01409-5	6' GROUNDED CORD & PLUG
54	29024-6	SOLENOID VALVE, 120V
55	29023-8	THERMOSTAT 150-450F
56	30294-5	THERMOSTAT DIAL
57	19116-7	MAIN ON/OFF SWITCH
58	17150-6	INDICATOR LIGHT, RED
59	17045-0	INDICATOR LIGHT, AMBER
60	30305-4	SS LEG W/ FOOT - OUTER
61	30936-2	SS LEG W/ FOOT - MIDDLE (2460, 2472)
62	30257-0	SPOUT ASSY - RT
63	30937-0	SPOUT ASSY - LT
64	22903-2	ORIFICE ELBOW - #42 DS (NAT)
	30503-0	ORIFICE ELBOW - #52 DS (PROP)
65	30286-4	PILOT BURNER- #.021 DS (NAT)
	30504-9	PILOT BURNER- #.021 DS (PROP)
66	01860-0	THUMB SCREW
67	30619-3	SET SCREW, 1/4-20
68	28757-1	PILOT REIGNITER -120V
69	30615-0	SS OVERPLAY- RIGHT
70	30618-4	SS OVERPLAY- LEFT
71	17149-2	ON/OFF MINI-SWITCH
72	24663-8	SS THERMOSTAT DIAL
43	25377-4	POTENTOMETER W/48 IN LEADS
74	25375-8	CONTROLLER, SS-120, 208-230V
75	25376-6	SENSOR BULB
76	01758-2	INSULATION SLEEVING- PER FT

**EXACT MODEL NUMBER REQUIRED TO IDENTIFY CORRECT PART